Fax 925-842-2022

CORP. LAW

**2**0001

ChevronTexaco Corporation Law Department 6001 Bollinger Canyon Road, T3046 San Ramou, CA 94583 Tcl 925-842-1471

Steven R. Ellinwood Senior Patent Counsel RECEIVED CENTRAL FAX CENTER APR 2 6 2005

## Fax Transmission

## ChevronTexaco

Tam M. Nguyen, Examiner Steven R. Ellinwood To From Company USPTO April 26, 2005 Date Fax 703-872-9306 5 (including cover) **Pages** In Re Application of Donald L. Kuehne et al. Re Urgent Routine For: Method for Removing Calcium from Crude Oil Application No. 10/676,897 RESPONSE TO NOTICE OF ALLOWABILITY COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE

Please see attachments

ChevronTexaco Corporation
Law Department
6001 Bollinger Canyon Road,
T3046 San Ramon, CA 94583
Tel 925-842-1471
Fax 925-842-2022
SEllinwood@chevronTexaco.com

Steven R. Ellinwood Senior Patent Counsel

April 26, 2005

ChevronTexaco

Facsimile Delivery (571) 272-1452

Tam M. Nguyen, Examiner USPTO P.O. Box 1450 Alexandria, VA 22313-1450

In Re Application of Donald L. Kuehne et al. Method for Removing Calcium from Crude Oil

Serial No: 10/676,897 Filed: September 30, 2003

Dear Examiner Nguyen

Attached please find courtesy copies of the Response to Notice of Allowability – Comments on Statement of Reasons for Allowance and Fee(s) Transmittal Form PTOL-85 regarding the above-referenced Patent Application.

If you have any questions regarding this matter, please do not hesitate to contact me.

Sincerely yours,

Steven R. Ellinwood

SRE/jl

**Enclosures** 

Steven R. Ellinwood

Name of applicant, assignee, or Registered Rop,

Signature China September April

Date PATENT

2005

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

APR 2 6 2005

In re Application of

DONALD L. KUEHNE ET AL.

Serial No.: 10/676,897

Filed: September 30, 2003

For: METHOD FOR REMOVING CALCIUM FROM CRUDE OIL

**GROUP ART UNIT: 1764** 

**EXAMINER: TAM M. NGUYEN** 

P. O. Box 6006 San Ramon, CA 94583-0806

## RESPONSE TO NOTICE OF ALLOWABILITY COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Arlington, VA 22313-1450

Sir:

Applicants respectfully submit this Response to the Notice of Allowability mailed on January 26, 2005. Applicants' Comments on Statement of Reasons for Allowance are set forth on page 2 of this Response.

Comments on Statement of Reasons for Allowance

Applicants appreciate Examiner's review and allowance of claims 1 through 21 as amended by Applicants in their Response and Amendment submitted herein dated November 4, 2004. Claims 1, as allowed, was amended in part to limit the pH range to between about 3.5 and 4.6. However, in the first paragraph on page 2 of the Reasons for Allowance the Examiner states: "The primary reason (sic) allowance is the inclusion of pH between about 3.5 and 3.6. Table 1 and Figure 1 show unexpected results from this restricted range." Noting the discrepancy between the amended pH range as allowed in claim 1 and the much narrower pH range cited by the Examiner in the Statement Reasons for Allowance, Applicants placed a telephone call to the Examiner on March 10, 2005 to discuss the discrepancy and request that the Examiner file an amended Statement of Reasons for Allowance correcting what appeared to Applicants to be a typographical error. The Examiner reviewed the file during the telephone conference and agreed with Applicants that the pH range of 3.5 to 3.6 referenced in the statement of Reasons for Allowance was incorrect and that the pH range of 3.5 to 4.6 in claim 1 as amended was adequately supported in the specification, in particular, in Figure 1.

Applicants respectfully request that the above Comments on Statement of Reasons for Allowance be incorporated into the application file wrapper.

Respectfully submitted.

Steven R. Ellinwood Attorney for Applicants

Reg. No. 48,495 (925) 842-1471

SRE:jll April 26, 2005